

1 Identification

- **Product identifier:**
- **Trade name:** Black & White Tabs
- **Article number:** EP1000021ThCH
- **Application of the substance / the preparation:** Cleaning material/ Detergent
- **Details of the supplier of the safety data sheet:**
- **Manufacturer/Supplier:**
Schulz & Sohn GmbH
Chemie-Erzeugnisse
Hoeheweg 327
D-40231 Duesseldorf
info@schulzchemie.com
-
- **Distributet by:**
Thermoplan AG
Thermoplan-Platz 1
CH-6353 Weggis
Tel.: +41 41 3921200
thermoplan@thermoplan.ch
- **Information department:** Product safety department
- **Emergency telephone number:**
POISON CONTROL
National Capital Poison Center
Tel.: 1-800-222-1222

2 Hazard(s) identification

- **Classification of the substance or mixture:**
Eye Dam. 1 H318 Causes serious eye damage.
-
- **Label elements:**
 - **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
 - **Hazard pictograms:**

GHS05
 - **Signal word:** Danger
 - **Hazard-determining components of labeling:**
sodium percarbonate
tartaric acid
 - **Hazard statements:**
Causes serious eye damage.
 - **Precautionary statements:**
Wear protective clothing / eye protection.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Get medical advice/attention.

(Contd. on page 2)

Trade name: Black & White Tabs

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4):**



- **HMIS-ratings (scale 0 - 4):**



- **Other hazards:**
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 497-19-8 EINECS: 207-838-8 Reg.nr.: 2119485498-19	sodium carbonate ⚠ Eye Irrit. 2A, H319	15 - <30%
CAS: 15630-89-4 EINECS: 239-707-6 Reg.nr.: 2119457268-30	sodium percarbonate ⚠ Ox. Sol. 2, H272; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332	15 - <30%
CAS: 87-69-4 EINECS: 205-105-7	tartaric acid ⚠ Eye Dam. 1, H318	15 - <30%

4 First-aid measures

- **Description of first aid measures:**
- **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media:**
- **Suitable extinguishing agents:**
Use fire fighting measures that suit the environment.
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture:** No further relevant information available.

(Contd. on page 3)

Trade name: Black & White Tabs

(Contd. of page 2)

- **Advice for firefighters:**
 - **Protective equipment:** No special measures required.
-

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
 - **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
 - **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
 - **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
-

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling:** No special precautions are necessary if used correctly.
 - **Information about protection against explosions and fires:** No special measures required.

 - **Conditions for safe storage, including any incompatibilities:**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** None.
 - **Storage class:** 13
 - **Specific end use(s):** No further relevant information available.
-

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters:**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls:**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves!

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves:**
Recommendation:
uvex u-chem 3000 (DIN EN 374)
Material: Nitrile rubber, NBR

(Contd. on page 4)

Trade name: Black & White Tabs

(Contd. of page 3)

Thickness of the material: 0,5 mm
Value for the permeation: > 480 min (Level 6)

Recommendation:

uvex u-fit strong N2000 (DIN EN 374)

Material: Nitrile rubber, NBR

Thickness of the material: 0,2 mm

Value for the permeation: > 480 min (Level 6)

· **Penetration time of glove material:**

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Eye protection:**



Tightly sealed goggles!

9 Physical and chemical properties

· Information on basic physical and chemical properties:	
· General Information:	
· Appearance:	
Form:	Solid
Color:	White
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value (10 g/l) at 20 °C (68 °F):	10.2
· Change in condition:	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)
· Relative density:	Not determined.
· Vapour density:	Not applicable.
· Evaporation rate:	Not applicable.
· Solubility in / Miscibility with:	
Water:	Soluble.
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.

(Contd. on page 5)

Trade name: Black & White Tabs

(Contd. of page 4)

· Solvent content:	
Organic solvents:	0.0 %
· Solids content: 100.0 %	
· Other information: No further relevant information available.	

10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
15630-89-4 sodium percarbonate		
Oral	LD50	1034 mg/kg (rat)
Dermal	LD50	2001 mg/kg (rabbit)
Inhalative	LC50/4 h	2.275 mg/L (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories:**

· IARC (International Agency for Research on Cancer):
None of the ingredients is listed.

· NTP (National Toxicology Program):
None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

12 Ecological information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Trade name: Black & White Tabs

(Contd. of page 5)

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods:**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture:**

· **Sara:**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

(Contd. on page 7)

Trade name: Black & White Tabs

(Contd. of page 6)

· **Proposition 65:**

· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.

· **Carcinogenic categories:**

· EPA (Environmental Protection Agency):
None of the ingredients is listed.
· TLV (Threshold Limit Value established by ACGIH):
None of the ingredients is listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health):
None of the ingredients is listed.

· **National regulations:**

· **Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases:**

- H272 May intensify fire; oxidizer.
- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.

· **Department issuing SDS:** Product safety department

· **Contact:** Mr. Saubier

· **Date of preparation / last revision** 07/11/2018 / 1

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Page 8/8

Printing date 07/11/2018
Reviewed on 07/11/2018

Trade name: Black & White Tabs

(Contd. of page 7)

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Data compared to the previous version altered.

—US—