

1 Identification

- **Product identifier:**
- **Trade name:** Black & White Tabs
- **Article number:** 105.371-105.365-132.740
- **Application of the substance / the preparation:** Cleaning material/ Detergent
- **Details of the supplier of the safety data sheet:**
- **Manufacturer/Supplier:**
Schulz & Sohn GmbH
Chemie-Erzeugnisse
Hoeheweg 327
D-40231 Duesseldorf
sida@schulzchemie.com
-
- **Distributet by:**
Thermoplan AG
Thermoplan-Platz 1
CH-6353 Weggis
Tel.: +41 41 3921200
thermoplan@thermoplan.ch
- **Information department:** Product safety department
- **Emergency telephone number:**
POISON CONTROL
National Capital Poison Center
Tel.: 1-800-222-1222

2 Hazard(s) identification

- **Classification of the substance or mixture:**
Eye Damage 1 H318 Causes serious eye damage.
-
- **Label elements:**
 - **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
 - **Hazard pictograms:**

GHS05
 - **Signal word:** Danger
 - **Hazard-determining components of labeling:**
sodium percarbonate
tartaric acid
 - **Hazard statements:**
Causes serious eye damage.
 - **Precautionary statements:**
Wear protective clothing / eye protection.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Trade name: Black & White Tabs

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4):**



- **HMIS-ratings (scale 0 - 4):**



- **Other hazards:**
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable
- **vPvB:** Not applicable

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 497-19-8 EINECS: 207-838-8	sodium carbonate ⚠ Eye Irritation 2A, H319	15-<30%
CAS: 15630-89-4 EINECS: 239-707-6	sodium percarbonate ⚠ Oxidizing Solids 2, H272; ⚠ Eye Damage 1, H318; ⚠ Acute Toxicity - Inhalation 4, H332	15-<30%
CAS: 87-69-4 EINECS: 201-766-0	tartaric acid ⚠ Eye Damage 1, H318	15-<30%
CAS: 25322-68-3 EINECS: 203-473-3	polyethylene glycol	1-<5%

4 First-aid measures

- **Description of first aid measures:**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media:**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters:**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:** Not required

(Contd. on page 3)

Trade name: Black & White Tabs

(Contd. of page 2)

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
497-19-8	sodium carbonate	7.6 mg/m3
87-69-4	tartaric acid	4.0 mg/m3
7758-29-4	pentasodium triphosphate	9.4 mg/m3
25322-68-3	polyethylene glycol	30 mg/m3
· PAC-2:		
497-19-8	sodium carbonate	83 mg/m3
87-69-4	tartaric acid	460 mg/m3
7758-29-4	pentasodium triphosphate	100 mg/m3
25322-68-3	polyethylene glycol	1300 mg/m3
· PAC-3:		
497-19-8	sodium carbonate	500 mg/m3
87-69-4	tartaric acid	2700 mg/m3
7758-29-4	pentasodium triphosphate	620 mg/m3
25322-68-3	polyethylene glycol	7700 mg/m3

7 Handling and storage

- **Handling:**
- **Precautions for safe handling:** Prevent formation of dust.
- **Information about protection against explosions and fires:** Protect from heat.
- **Conditions for safe storage, including any incompatibilities:**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
Storage between 5 and 40°C.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Protect from heat and direct sunlight.
Store in dry conditions.
Protect from humidity and water.
- **Storage class:** 13
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**

· Components with limit values that require monitoring at the workplace:	
25322-68-3 polyethylene glycol	
WEEL	Long-term value: 10 mg/m ³ (H); MW>200

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Trade name: Black & White Tabs

(Contd. of page 3)

- **Exposure controls:**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves!

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves:**
Recommendation:
uvex u-chem 3000 (DIN EN 374)
Material: Nitrile rubber, NBR
Thickness of the material: 0,5 mm
Value for the permeation: > 480 min (Level 6)
Recommendation:
uvex u-fit strong N2000 (DIN EN 374)
Material: Nitrile rubber, NBR
Thickness of the material: 0,2 mm
Value for the permeation: > 480 min (Level 6)
- **Penetration time of glove material:**
The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- **Eye protection:**



Tightly sealed goggles!

9 Physical and chemical properties

· Information on basic physical and chemical properties:	
· General Information:	
· Appearance:	
· Form:	Solid
· Color:	White
· Odor:	Characteristic
· Odor threshold:	Not determined
· pH-value at 20 °C (68 °F):	10.1
· Change in condition:	
· Melting point/Melting range:	Undetermined
· Boiling point/Boiling range:	Undetermined
· Flash point:	> 100 °C (> 212 °F)
· Flammability:	Not determined

(Contd. on page 5)

Trade name: Black & White Tabs

(Contd. of page 4)

· Decomposition temperature:	Not determined
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined
Upper:	Not determined
· Vapor pressure:	Not applicable
· Density at 20 °C (68 °F):	1,000 g/cm ³ (8.345 lbs/gal)
· Relative density:	Not determined
· Vapour density:	Not applicable
· Evaporation rate:	Not applicable.
· Solubility in / Miscibility with:	
Water:	Soluble.
· Partition coefficient (n-octanol/water):	Not determined
· Viscosity:	
Dynamic:	Not applicable
Kinematic:	Not applicable
· Solvent content:	
VOC content:	0.00 %
Solids content:	100.0 %
· Other information:	No further relevant information available.

10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
- **Carcinogenic categories:**

· IARC (International Agency for Research on Cancer):
None of the ingredients is listed.
· NTP (National Toxicology Program):
None of the ingredients is listed.

(Contd. on page 6)

Trade name: Black & White Tabs

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

12 Ecological information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **Other adverse effects:** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods:**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, ADR, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADR, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable
· Special precautions for user	Not applicable
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
No further relevant information available.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Page 7/8

Printing date 01/13/2026
Reviewed on 01/13/2026

Trade name: Black & White Tabs

(Contd. of page 6)

· **Sara:**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

7758-29-4 | pentasodium triphosphate

· **TSCA (Toxic Substances Control Act):**

497-19-8	sodium carbonate	ACTIVE
15630-89-4	sodium percarbonate	ACTIVE
87-69-4	tartaric acid	ACTIVE
7758-29-4	pentasodium triphosphate	ACTIVE
25322-68-3	polyethylene glycol	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases:**

H272 May intensify fire; oxidizer.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

· **Department issuing SDS:** HSE department

· **Contact:** HSE Department

· **Date of preparation / last revision** 01/13/2026 / -

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Page 8/8

Printing date 01/13/2026
Reviewed on 01/13/2026

Trade name: Black & White Tabs

(Contd. of page 7)

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Oxidizing Solids 2: Oxidizing solids – Category 2
Acute Toxicity - Inhalation 4: Acute toxicity – Category 4
Eye Damage 1: Serious eye damage/eye irritation – Category 1
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

— US —