

1 Identification

· **Product identifier:**

· **Trade name:** Thermo Coffee Tabs

· **Other means of identification**

· **Article number:** 128.540-128.541

· **Application of the substance / the preparation:** Cleaning material/ Detergent

· **Details of the supplier of the safety data sheet:**

· **Manufacturer/Supplier:**

Schulz & Sohn GmbH
Chemie-Erzeugnisse
Hoeheweg 327
D-40231 Duesseldorf
sida@schulzchemie.com

Distributet by:

Thermoplan AG
Thermoplan-Platz 1
CH-6353 Weggis
Tel.: +41 41 3921200
thermoplan@thermoplan.ch

· **Information department:** Product safety department

· **Emergency telephone number:**

POISON CONTROL
National Capital Poison Center
Tel.: 1-800-222-1222

2 Hazard identification

· **Classification of the substance or mixture:**

Eye damage/irritation – Category 1 H318 Causes serious eye damage.

· **Label elements:**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS05

· **Signal word:** Danger

· **Hazard-determining components of labeling:**

sodium percarbonate
tartaric acid

· **Hazard statements:**

Causes serious eye damage.

· **Precautionary statements:**

Wear protective clothing / eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention.

(Contd. on page 2)

Safety Data Sheet

according to HPR, Schedule 1

Page 2/7

Date of issue 01/13/2026

Revision: 01/13/2026

Version number 1

Trade name: Thermo Coffee Tabs

(Contd. of page 1)

- Information pertaining to particular dangers for man and environment:
- Classification system:
- NFPA ratings (scale 0 - 4):



- HMIS-ratings (scale 0 - 4):



3 Composition/Information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
497-19-8	sodium carbonate ⚠ Eye damage/irritation – Category 2A, H319	10-30% w/w
15630-89-4	sodium percarbonate ⚠ Oxidizing solids – Category 2, H272; ⚠ Eye damage/irritation – Category 1, H318; ⚠ Acute Toxicity (Inhalation) - Category 4, H332	10-30% w/w
87-69-4	tartaric acid ⚠ Eye damage/irritation – Category 1, H318; ⚠ Specific target organ toxicity (single exposure) – Category 3, H335	10-30% w/w

Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- Description of first aid measures:
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water.
- Most important symptoms and effects, both acute and delayed:
No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:
No further relevant information available.

5 Fire-fighting measures

- Extinguishing media:
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters:
- Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures: Not required
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- Reference to other sections:
See Section 7 for information on safe handling.

(Contd. on page 3)

—CA—

Trade name: Thermo Coffee Tabs

(Contd. of page 2)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling:** Prevent formation of dust.
- **Information about protection against explosions and fires:** Protect from heat.
- **Conditions for safe storage, including any incompatibilities:**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
Storage between 5 and 40°C.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Protect from heat and direct sunlight.
Store in dry conditions.
Protect from humidity and water.
- **Storage class:** 11
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

- **Control parameters:**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls:**
- **Additional information about design of technical systems:** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves!

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves:**
Recommendation:
uvex u-chem 3000 (DIN EN 374)
Material: Nitrile rubber, NBR
Thickness of the material: 0,5 mm
Value for the permeation: > 480 min (Level 6)
Recommendation:
uvex u-fit strong N2000 (DIN EN 374)
Material: Nitrile rubber, NBR

(Contd. on page 4)

Trade name: Thermo Coffee Tabs

(Contd. of page 3)

Thickness of the material: 0,2 mm

Value for the permeation: > 480 min (Level 6)

· **Penetration time of glove material:**

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Eye protection:**



Tightly sealed goggles!

9 Physical and chemical properties

· **Information on basic physical and chemical properties:**

· **General Information:**

· Physical state	Solid
· Color:	Red
· Odor:	Characteristic
· Odor threshold:	Not determined
· Melting point/Melting range:	Undetermined
· Boiling point/Boiling range:	Undetermined
· Flammability:	Not determined
· Explosion limits:	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	Not applicable
· Decomposition temperature:	Not determined
· pH-value at 20 °C:	10.2
· Viscosity:	
· Kinematic:	Not applicable
· Dynamic:	Not applicable
· Solubility in / Miscibility with:	
· Water:	Soluble.
· Partition coefficient (n-octanol/water):	Not determined
· Vapor pressure:	Not applicable
· Vapor pressure:	
· Density:	Nicht bestimmt
· Relative density:	Not determined
· Vapour density:	Not applicable
· Particle characteristics	Not determined

· **Other information:**

· Appearance:	
· Form:	Solid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	100.0 %
· Change in condition:	
· Evaporation rate:	Not applicable.

10 Stability and reactivity

· **Reactivity:** No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

according to HPR, Schedule 1

Page 5/7

Date of issue 01/13/2026

Revision: 01/13/2026

Version number 1

Trade name: Thermo Coffee Tabs

(Contd. of page 4)

- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity:**
- **Primary irritant effect:**
 - **on the skin:** Irritant to skin and mucous membranes.
 - **on the eye:** Strong irritant with the danger of severe eye injury.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories:**

· IARC (International Agency for Research on Cancer):
None of the ingredients is listed.
· NTP (National Toxicology Program):
None of the ingredients is listed.

12 Ecological information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
 - **PBT:** Not applicable
 - **vPvB:** Not applicable
- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Waste treatment methods:**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 6)

—CA—

Safety Data Sheet

according to HPR, Schedule 1

Page 6/7

Date of issue 01/13/2026

Revision: 01/13/2026

Version number 1

Trade name: Thermo Coffee Tabs

(Contd. of page 5)

14 Transport information

· UN-Number	
· DOT/TDG, ADR, IMDG, IATA	Void
· UN proper shipping name	
· DOT/TDG, ADR, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT/TDG, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT/TDG, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
· Special precautions for user	Not applicable
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture:

No further relevant information available.

· Sara:

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

7758-29-4 pentasodium triphosphate

· TSCA (Toxic Substances Control Act):

497-19-8	sodium carbonate	ACTIVE
15630-89-4	sodium percarbonate	ACTIVE
87-69-4	tartaric acid	ACTIVE
7758-29-4	pentasodium triphosphate	ACTIVE

· Canadian substance listings:

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%):

497-19-8 sodium carbonate

· Per- and polyfluoroalkyl substances (PFAS)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

CA —

Safety Data Sheet

according to HPR, Schedule 1

Page 7/7

Date of issue 01/13/2026

Revision: 01/13/2026

Version number 1

Trade name: Thermo Coffee Tabs

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases:**

H272 May intensify fire; oxidizer.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

· **Department issuing SDS:** HSE department

· **Contact:** HSE Department

· **Date of preparation** 01/13/2026

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

CA —